

# Audio tuning tool Connection Steps

InnoComm Mobile 開元通訊

2020/03/06

# Setp1. Download Eng.OS

Smart Phone Flash Tool(Runtime Trace Mode)

File Options Window Help

Welcome Format Download Readback Memory Test

Download Stop

Download-Agent: \\SP\_Flash\_Tool\_exe\_Windows\_v5.1928.01.000\SP\_Flash\_Tool\_exe\_Windows\_v5.1928.01.000\MTK\_AllInOne\_DA.bin

Scatter-loading File: C:\Users\bbuser\Desktop\20200306.583.sb30.eng image\20200306.583.sb30.eng image\MT8167\_Android\_scatter.txt

Authentication File:

Download Only

Download Ok


Name	Begin Address	End Address	Region	Location
preloader	0x00000000	0x00000000	BOOT1_BOOT2	C:\Users\bbuser\Desktop\20200306.5...
lk_a	0x00000000	0x00000000	USER	C:\Users\bbuser\Desktop\20200306.5...
boot_a	0x00000000	0x00000000	USER	C:\Users\bbuser\Desktop\20200306.5...
para	0x00000000	0x00000000	USER	C:\Users\bbuser\Desktop\20200306.5...
logo_a	0x00000000	0x00000000	USER	C:\Users\bbuser\Desktop\20200306.5...
dtbo_a	0x00000000	0x00000000	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...
tee_a	0x000000009900000	0x000000009b69edf	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...
vbmeta_a	0x00000000c700000	0x00000000c700fff	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...
system_a	0x00000000d800000	0x00000000d9be18f	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...
system_b	0x00000000cd80000	0x00000000d08bc117	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...
vendor_a	0x000000018d80000	0x0000000196f310ff	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...
userdata	0x00000001fd80000	0x00000001fdcc10f3	EMMC_USER	C:\Users\bbuser\Desktop\20200306.5...

[userdata] Download Flash 100%

9.50M/s 4.75M EMMC High Speed 1:19 PreLoader USB VCOM Port (COM248)


# Setp2.

## Connect ADB interface



# Step3.

## Run **Audio\_Tuning\_Tool**





# Setp4.

Click **Connect to Device**



# Setp5. Connecting.....



# Setp6.

## Connect success

